

Setting up iBrowse – Windows 2003™

Additional instruction for IBrowse installation on 2003 server.

- 1. IIS Parameters
- 1.1.Ensure that Active Server Pages and ASP.NET v.1.1.4322 under Web Services Extension defined as allowed.



1.2. Web Sites Properties -> Home Directory -> Configuration

	Security	HTTP Headers	Custom Errors	Service
Web Site	Performance	e ISAPI Filters	Home Directory	Documents
The conte	nt for this resou	urce should come from	6	
	🖲 A g	lirectory located on th	is computer	
	C A s	hare located on anoth	ier computer	
	C Ar	edirection to a URL		
Logal path			E	Browse
(personal)		and the second se	and the second	
Script s	source access	I∕ Lo	g <u>v</u> isits	
I Scrip <u>t</u> s □ <u>R</u> ead	source access	IV Lo IV In	g <u>v</u> isits dex this resource	
Scrip <u>t</u> : <u>R</u> ead <u>W</u> rite	source access	lo In	g <u>v</u> isits dex this resource	
Scripts Read Write Directo	source access ary <u>b</u> rowsing	Lo ₪ ∑	g <u>v</u> isits dex this resource	
I Scrip <u>t</u> : Read <u>W</u> rite Directo Application	ource access ory <u>b</u> rowsing o settings	I∾ Lo In	g <u>v</u> isits dex this resource	
Scripts Read Write Directo Application	ry <u>b</u> rowsing a settings	In In	g visits dex this resource	
Scripts	rry <u>b</u> rowsing a settings	Lo In	g visits dex this resource	Create
Script s Read Write Directo Application Starting po	rry <u>b</u> rowsing settings name: [pint: •	Web Master Propertie	g <u>vi</u> sits dex this resource	Grgate
Script s Read Write Directo Application Starting po Execute ps	rry <u>b</u> rowsing settings name: oint: ermissions:	Web Master Propertie	g <u>vi</u> sits dex this resource es>	Crgate
Script s Read Write Directo Application Starting po Execute ge	rry <u>b</u> rowsing settings name: [oint: • ermissions: [Web Master Propertie	g visits dex this resource es>	Crgate
Scripts Read Write Directo Application Starting po Execute ge	rry <u>b</u> rowsing rsettings rame: point: point: pool:	Web Master Propertie	g visits dex this resource es>	Crgate figuration
Scripts Read Write Directo Application Starting po Execute ge Application	rry <u>browsing</u> a settings a name:	Web Master Propertie	es>	Crgate figuration



Press on **³Option**[´] and ensure **Enable parent path**["] is checked.

Mappings Options Debugging	<u>></u>
Application configuration Image: Enable gession state Session timeout: Image: Enable buffering Image: Enable parent paths	
Default ASP language: VBScript ASP script timeout: 90 seconds	
Manifest file name:	
OK Cancel	Help

. COM+ Parameters:

Ensure that the parameter "Enforce access checks for this application" under "IcClock Properties Security" is not checked.

Advance	ed	Dump	Pooling & F	Recycling
General	Security	Identity	Activation	Queuin
Authorizati	on			
Enforc	e access checl	ks for this applic	ation	
Security Le	evel			
O Pertori Securi securi	m access check ity property will r ty call context w	is only at the pr iot be included ill not be availat	ocess level. on the object cont ble.	text. COM+
 Perform Securit securit 	m access check ity property will b ty call context is	s at the proces included on t available.	s and co <u>m</u> ponent he object context.	level. The COM+
 Perform Securit securit Software F 	m access check ity property will b ty call context is Restriction Policy	s at the proces ie included on t available.	s and co <u>m</u> ponent he object context.	level. The COM+
 Perform Securit securit Software F Apple 	m access check ity property will b ty call context is Restriction Policy y <u>s</u> oftware restric	is at the proces ie included on t available. ; ;	s and co <u>m</u> ponent he object context.	level. The COM+
 Perforn Securi securit Software F Apple Bestrict 	m access check ity property will b ty call context is Restriction Policy <u>y s</u> oftware restriction Level:	s at the proces ie included on t available. , ction policy	s and co <u>m</u> ponent he object context.	level. The COM+
Perfor Securi Securi Software F Software F Bestrict Authenticatic	m access check ity property will b ty call context is Restriction Policy y <u>s</u> oftware restriction ion Level:	s at the process is included on t available. ction policy s:	s and co <u>m</u> ponent he object context.	level. The COM+
 Perforn Securi securi Software F Appli Bestrict Authentication Packet 	m access check ity property will b ty call context is Restriction Policy y <u>s</u> oftware restri- ion Level:	s at the proces ie included on t available. ction policy s:	s and co <u>m</u> ponent he object context.	level. The COM+
Perforn Securi Software F Software F Appl Bestrict Authenticatio Packet Impersonatic	m access check ity property will b ty call context is Restriction Policy y <u>s</u> oftware restriction y <u>s</u> oftware restriction on <u>Level</u> :	s at the proces included on t available. tion policy	s and co <u>m</u> ponent he object context.	level. The COM+



. Windows Components:

When working with RPC configuration (separates the SQL server from the COM server), ensure that the following items are checked:

💑 Add or Remove Programs	Application Server
Currently installed programs:	To add or remove a component, click the check box. A shaded box means that only part of the component will be installed. To see what's included in a component, click Details.
Change or Remove Windows Components Wizard	Subcomponents of Application Server
Programs Windows Components You can add or remove component	s of Application Server Console 0.0 MB A Solution Application Server Console 0.0 MB A Solution Application Server Console 0.0 MB
Add New Programs Add New Windows Components Compo	Image Enable network DTC access 0.0 MB Image Enable on disk: 7365.3 MB
Mad or Remove Programs	🛛 🕐 Windows Lomponent



4. Install IBrowse definition on server 2003:

In server 2003 you can define separate **Application pool** for each site. Build new Application pool, and name it IBrowse.

(Ap	plication	pools ->	new ->	Application	pool).
1						

🐚 Internet Information Servic	es (IIS) Manager		
🧐 Eile <u>A</u> ction <u>V</u> iew <u>W</u> indow	v <u>H</u> elp		_8×
(= ->) 🗈 💽 🗙 😭 😥	▶ 😫 🖳 🕨 🗉	П	
Internet Information Services Application Pools Application Pools Web Sites Book Test Book T	Description Default Application browse2003	Path <ibrowse2003> <default site="" web="">/ibrowse2003</default></ibrowse2003>	

After building the Application pool you can add this parameter in Virtual Directory Properties:

wse2003 Pro	perties						Ľ
rtual Directory	Documents	Directory S	ecurity	HTTP Hea	ders	Custom Errors	1
The content f	or this resour	ce should cor	ne from:				
	🖲 🗛 dir	ectory locate	d on thi	s computer	1		
	C A ch	are located o	n anoth	er compute	80 14		
	C A 10	direction to a	HDI	or compace			
	5 AIC	ullection to a	OKC				
Local path:	C:\ibr	owse∖ibrw_w	eb			Browse	1
	rce access		V Loc	1 visite			-
Read	CC 000035		V Inc	lex this res	ource		
Write							
Directory	prowsing						
Application se	ttings						
	-				- 20		
Application na	<u>m</u> e: lit	prowse2003				Remove	_
Starting point	: <[Default Web 9	5ite>\ibr	ow			-
						Configuration	£.
Execute Beun	ISSIUNS: 15	chipts enly			_		
Application po	ol: iE	rowse			-	Unload	
Libburgerer be							-
pp					-		